APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA FEB 2 7 1973

Daț	e of filing in State Engineer's Office
Reti	urned to applicant for correction
Cor	rected application filed
Мај	FEB 2 1973 under 27259
	Grand N. Charling
	The applicant George N. Swallow
	618 Aultman Street Ely , County of
Stat	e of Nevada 89301, hereby makes application for permission to appropriate the public
vat	ers of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorpora-
ion	; if a copartnership or association, give names of members.)
1.	
••	The source of the proposed appropriation is Underground Name of stream, lake or other source.
2	The amount of water applied for is 1.0 cfs One second-foot equals 448.83 gals. per min.
۷.	One second-foot equals 448,83 gals. per min. (a) If stored in reservoir give number of acre-feet
2	The water to be used for Recreational
	Irrigation, power, mining, manufacturing, domestic, or other use.
4.	If use is for:
	(a) Irrigation (state number of acres to be irrigated)
	(b) Stockwater (state number and kinds of animals to be watered)
	(c) Other use (describe fully under "No. 12. Remarks") Recreational
	(d) Power:
	(1) Horsepower developed
	(2) Point of return of water to stream
5.	The water is to be diverted from its source at the following point: SW SW Section 24, T.21N.
	R.63E. M.D.B.&M., or at a point from which the SW Corner of said Describe as being within a 40-acre subdivision of public survey, and by course and distance to a section corner. If on unsurveyed land,
•	Section 24 bears S. 67° 43' W. 755.0 feet. it should be stated.
6.	Place of use S SW Section 24, N NS NW Section 25, T.21N., R.63E., Describe by legal subdivision, if on unsurveyed land it should be so stated.
	M.D.B.&M.

7.	Use will begin about 1st January and end about 31st December, of each year.
8.	Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans
	and specifications of your diversion or storage works.) Through pipes to its place of
	USE.
	State manner in which water is to be diverted, whether by dam or other works, whether through pipes, ditches, flumes, or other conduits.

10.	
	Estimated time required to construct works 3 years
11.	Estimated time required to complete the application to beneficial use. 5 Years
12.	Remarks Water is to be diverted into swimming pools and bathing
	ponds for a proposed subdivision not yet designed. Refer to
	Application No. 27259 for supporting map.

App	licant George N. Swallow
	By s/ Richard W. Forman
	Richard W. Forman (agent)
Com	pared 1k/cm P. O. Box 150 4-6-73 by John D. Assu <u>ras Ely, N</u> evada 89301
en:	ied 3/25/74 Ruling # 195 3
	DENIAL OF STATE ENGINEER
	deny This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the
	rms is to certify that I have examined the foregoing application, and do hereby grank the same, subject to the
ollo	wing limitations and conditions:
(On the grounds that the granting of these applications would
	interfere with existing water rights.
	·
. 	
	·
	·
	·
The	amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and
The	amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and o exceedcubic feet per second
Γhe iot t	amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and o exceedcubic feet per second
The not t	amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and o exceed
The not 1	amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and o exceed
The not the Acturate Victory	amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and o exceed
The not the Acturate Victory	amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and o exceed
The Acturate Victorial Control	amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and o exceed
The Acturate Vor.	amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and o exceed
The not the Actual Proof	amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and o exceed
The not the Actuary of Application o	amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and o exceed
The actual Actual Processing Processing Map	amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and o exceed
The lot the lo	amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and o exceed
The ot the control of	amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and o exceed